

ชุดโปรมชันกล่อง IP Camera 4 ตัว



Hmp-88B10
 <<< Read More



**IP Camera 8800 Series
 NETWORK CCTV Surveillance**

Hmp-88B10

- IP Camera 1/4" OV 9712 CMOS.
- H.264 Video Compression, JPEG Snapshot.
- G.711a Audio Compression.
- Resolution 1280x720 (50Hz/25fps), 60Hz/30fps).
- HD Professional Lens 3.6mm., 6mm./F1.8, M12.
- LED 24Pcs, Distance 10-20 Meters.
- Color 0.1Lux/F1.2, AGC On, 0Lux with IR.
- B/W 0.01Lux/F1.2, AGC On, 0Lux with IR.
- Shutter 1/50(1/60)s-1/10,000s.
- Power Supply 12VDC±10%
- Power Consumption Max 2W.

เครื่องบันทึกภาพ NVR 8800 Series



Hmp-8804N
 <<< Read More

Hmp-8804N

NVR4Ch. Linux System, H.264 Video High Profile Compression./G711A Audio Compression, 16-bit True Color Graphic operation Interface, Video Standards PAL625line, 50f/s; NTSC525line, 60f/s, Quality Monitor: D1(720x576), VGA(HD), HDMI: HD, Video Input(IP) 4ch.@960P/8ch@D1(720x576), Video Recording 960P/720P/960H/D1/HD1/CIF/QCIF, Realtime live display up to 4/8Ch, Playback Display up to 1Ch.(960P Mode)/4Ch.(D1 Mode), VGA&HDMI output Resolution 1024x768/1280x720/1280x1024/1440x900/1920x1080, Power supply 12V/2A

Free!! ค่าแรงเดินสายทั้งระบบ



ราคาเพียง

19,900.-

ดูภาพออนไลน์ผ่านมือถือสมาร์ทโฟนได้
 iPhone, iPad, Android



HDD SEAGATE SV35
1TB

พร้อมกับ

สาย UTP Cat5e 100 เมตร

Accessory for CCTV 4 Lot BNC +ปลั๊กไฟ+box +adaptor



ชุดโปรไฟล์กล้อง IP Camera 8 ตัว



Hmp-88B10
 <<< Read More



**IP Camera 8800 Series
 NETWORK CCTV Surveillance**

Hmp-88B10

- IP Camera 1/4" OV 9712 CMOS.
- H.264 Video Compression, JPEG Snapshot.
- G.711a Audio Compression.
- Resolution 1280x720 (50Hz/25fps), 60Hz/30fps).
- HD Professional Lens 3.6mm., 6mm./F1.8, M12.
- LED 24Pcs, Distance 10-20 Meters.
- Color 0.1Lux/F1.2, AGC On, 0Lux with IR.
- B/W 0.01Lux/F1.2, AGC On, 0Lux with IR.
- Shutter 1/50(1/60)s-1/10,000s.
- Power Supply 12VDC±10%
- Power Consumption Max 2W.

เครื่องบันทึกภาพ NVR 8800 Series



Hmp-8808N
 <<< Read More

Hmp-8808N

NVR08Ch. Linux System, H.264 Video High Profile Compression/G711A Audio Compression, 16-bit True Color Graphic operation Interface, Video Standards PAL625line, 50f/s; NTSC525line, 60f/s, Quality Monitor VGA:HD, HDMI:HD(1080x1920), Video Input(IP) 8ch.@720P/8ch@1080P/16ch@D1(720x576), Video Recording 1080P/720P/960H/D1/HD1/CIF/QCIF, Realtime live display up to 1/4/9Ch, Playback Display up to 1/2Ch.@1080P Mode/4ch.@720P Mode VGA&HDMI output Resolution 1024x768/1280x720/1280x1024/1440x900/1920x1080, Power supply 12V/2A

Freell ค่าแรงเดินสายทั้งระบบ



ราคาเพียง **35,900.-**

ดูภาพออนไลน์ผ่านมือถือสมาร์ทโฟนได้
 iPhone, iPad, Android



HDD SEAGATE SV35
2TB

พร้อมกับ

สาย UTP Cat5e 200 เมตร

Accessory for CCTV 8 Lot BNC +ปลั๊กไฟ+box +adaptor



ชุดโปรกรมชั้นกล่อง IP Camera 16 ตัว



Hmp-88B10
 <<< Read More



**IP Camera 8800 Series
 NETWORK CCTV Surveillance**

Hmp-88B10

- IP Camera 1/4" OV 9712 CMOS.
- H.264 Video Compression, JPEG Snapshot.
- G.711a Audio Compression.
- Resolution 1280x720 (50Hz/25fps), 60Hz/30fps).
- HD Professional Lens 3.6mm., 6mm./F1.8, M12.
- LED 24Pcs, Distance 10-20 Meters.
- Color 0.1Lux/F1.2, AGC On, 0Lux with IR.
- B/W 0.01Lux/F1.2, AGC On, 0Lux with IR.
- Shutter 1/50(1/60)s-1/10,000s.
- Power Supply 12VDC±10%
- Power Consumption Max 2W.

เครื่องบันทึกภาพ NVR 8800 Series



Hmp-8816N
 <<< Read More

Hmp-8816N

NVR16Ch. Linux System, H.264 Video High Profile Compression./G711A Audio Compression, 16-bit True Color Graphic operation Interface, Video Standards PAL625line, 50f/s; NTSC525line, 60f/s, Quality Monitor D1&VGA:HD/HDMI:HD, Video Input(IP) 4ch@3M-/8ch@1080P/16@720P, Realtime live display up to 1/4/8/9/16Ch, Playback Display up to 1Ch.@3M Mode/2Ch.@1080P Mode/4Ch.@720P Mode, VGA&HDMI output Resolution 1024x768/1280x720/1280x1024/1440x900/1920x1080, Power supply 12V/2A

Freell ค่าแรงเดินสายทั้งระบบ



ราคาเพียง **59,900.-**

ดูภาพออนไลน์ผ่านมือถือสมาร์ทโฟนได้
 iPhone, iPad, Android



HDD SEAGATE SV35
2TB

พร้อมกับ

สาย UTP Cat5e 300 เมตร

Accessory for CCTV 16 Lot BNC +ปลั๊กไฟ+box +adaptor

